

The ZFS filesystem

~~One day workshop~~ Short talk — LinuxConfAu 2020

Philip Paeps

14 January 2020

Gold Coast, QLD, Australia



freeBSD[®]

History of ZFS

- 2001: Development started at Sun (now Oracle)
- 2005: ZFS source code released
- 2008: ZFS released in FreeBSD 7.0
- (2019: ZFS still doesn't work reliably on Linux)



ZFS in a nutshell

End-to-end data integrity

- Detects and corrects silent data corruption

Pooled storage

- The first 128 bit filesystem
- Eliminates the antique notion of volumes

Transactional design

- Data always consistent
- Huge performance wins

Simple administration

- Two commands to manage entire storage configuration



End-to-end data integrity


- Disks
- Controllers
- Cables
- Firmware
- Device drivers
- Non-ECC memory



Disk block checksums

- Checksums are stored with the data blocks
- Any self-consistent block will have a correct checksum
- Can't even detect stray writes
- Inherently limited to single filesystems or volumes

**Disk block checksums only
validate media**



✓ Bit rot

✗ Phantom writes

✗ Misdirected reads and writes

✗ DMA parity errors

✗ Driver bugs


✗ Accidental overwrite



ZFS data authentication

- Checksums are stored in parent block pointers
- Fault isolation between data and checksum
- Entire storage pool is a self-validating Merkle tree


**ZFS data authentication
validates entire I/O path**



- ✓ Bit rot
- ✓ Phantom writes
- ✓ Misdirected reads and writes
- ✓ DMA parity errors
- ✓ Driver bugs
- ✓ Accidental overwrite


Traditional storage architecture

- Single partition or volume per filesystem
- Each filesystem has limited I/O bandwidth
- Filesystems must be manually resized
- Storage is fragmented




ZFS pooled storage

- No partitions required
- Storage pool grows automatically
- All I/O bandwidth is always available
- All storage in the pool is shared




Copy-on-write transactions


1. Initial consistent state




2. COW some blocks



3. COW indirect blocks



4. Rewrite uberblock (atomic)



Simple administration

Only two commands:

1. Storage pools: `zpool`
 - Add and replace disks
 - Resize pools
2. Filesystems: `zfs`
 - Quotas, reservations, etc.
 - Compression and deduplication
 - Snapshots and clones
 - `atime`, `readonly`, etc.



Storage pools



Storage pools

Creating storage pools (1/2)

To create a storage pool named “tank” from a single disk:

```
# zpool create tank /dev/md0
```

ZFS can use disks directly. There is no need to create partitions or volumes.

After creating a storage pool, ZFS will automatically:

- Create a filesystem with the same name (e.g. tank)
- Mount the filesystem under that name (e.g. /tank)

The storage is immediately available



Storage pools

Creating storage pools (2/2)

All configuration is stored with the storage pool and persists across reboots.

No need to edit `/etc/fstab`.

```
# mount | grep tank
# ls -al /tank
ls: /tank: No such file or directory
# zpool create tank /dev/md0
# mount | grep tank
tank on /tank (zfs, local, nfsv4ac1s)
# ls -al /tank
total 9
drwxr-xr-x  2 root  wheel  2 Oct 12 12:17 .
drwxr-xr-x 23 root  wheel 28 Oct 12 12:17 ..
# reboot
[...]

# mount | grep tank
tank on /tank (zfs, local, nfsv4ac1s)
```



Storage pools

Displaying pool status

```
# zpool list
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     1016G   83K  1016G      -         -         0%    0%   1.00x  ONLINE   -

# zpool status
pool: tank
state: ONLINE
scan: none requested
config:

        NAME      STATE      READ  WRITE  CKSUM
        tank      ONLINE      0     0     0
         md0      ONLINE      0     0     0

errors: No known data errors
```



Storage pools

Displaying I/O statistics

ZFS contains a built-in tool to display I/O statistics.

Given an interval in seconds, statistics will be displayed continuously until the user interrupts with **Ctrl+C**.

Use **-v** (verbose) to display more detailed statistics.

```
# zpool iostat 5
          capacity      operations      bandwidth
pool      alloc    free      read    write    read    write
-----
tank      83K    1016G      0      0      234     841
tank      83K    1016G      0      0       0       0

# zpool iostat -v
          capacity      operations      bandwidth
pool      alloc    free      read    write    read    write
-----
tank      83K    1016G      0      0      206     739
  md0     83K    1016G      0      0      206     739
-----
```



Storage pools

Destroying storage pools

Destroying storage pools is a constant time operation. If you want to get rid of your data, ZFS will help you do it very quickly!

All data on a destroyed pool will be **irretrievably lost**.

```
# time zpool create tank /dev/md0
0.06 real 0.00 user 0.02 sys

# time zpool destroy tank
0.09 real 0.00 user 0.00 sys
```



Storage pools

Creating stripes

A pool with just one disk does not provide any redundancy, capacity or even adequate performance.

Stripes offer higher capacity and better performance (reading will be parallelised) but they provide **no redundancy**.

```
# zpool create tank /dev/md0 /dev/md1
# zpool status
  pool: tank
  state: ONLINE
  scan: none requested
config:

      NAME                STATE          READ  WRITE  CKSUM
      tank                 ONLINE         0     0     0
        md0                ONLINE         0     0     0
        md1                ONLINE         0     0     0

errors: No known data errors

# zpool list
NAME    SIZE  ALLOC  FREE  CAP  DEDUP  HEALTH
tank    1.98T  86K   1.98T  0%   1.00x  ONLINE
```



Storage pools

Creating mirrors (RAID-1)

Mirrored storage pools provide **redundancy** against disk failures and better read performance than single-disk pools.

However, mirrors only have **50% of the capacity** of the underlying disks.

```
# zpool create tank mirror /dev/md0 /dev/md1
# zpool status
pool: tank
state: ONLINE
scan: none requested
config:

    NAME                STATE          READ  WRITE  CKSUM
    tank                 ONLINE         0     0     0
        mirror-0        ONLINE         0     0     0
            md0         ONLINE         0     0     0
            md1         ONLINE         0     0     0

errors: No known data errors
# zpool list
NAME      SIZE  ALLOC   FREE  CAP  DEDUP  HEALTH
tank    1016G    93K  1016G   0%  1.00x  ONLINE
```



Storage pools

Creating raidz groups

raidz is a variation on RAID-5 with single-, double-, or triple parity.

A raidz group with N disks of size X with P parity disks can hold approximately $(N - P) * X$ bytes and can withstand P device(s) failing before data integrity is compromised.

```
# zpool create tank \  
> raidz1 /dev/md0 /dev/md1 /dev/md2 /dev/md3  
# zpool status  
pool: tank  
state: ONLINE  
scan: none requested  
config:
```

NAME	STATE	READ	WRITE	CKSUM
tank	ONLINE	0	0	0
raidz1-0	ONLINE	0	0	0
md0	ONLINE	0	0	0
md1	ONLINE	0	0	0
md2	ONLINE	0	0	0
md3	ONLINE	0	0	0

```
errors: No known data errors
```



Storage pools

Combining vdev types

Single disks, stripes, mirrors and raidz groups can be combined in a single storage pool

ZFS will complain when adding devices would make the pool less redundant

```
# zpool create tank mirror /dev/md0 /dev/md1
# zpool add tank /dev/md2
invalid vdev specification
use '-f' to override the following errors:
mismatched replication level:
pool uses mirror and new vdev is disk

# zpool create tank \
> raidz2 /dev/md0 /dev/md1 /dev/md2 /dev/md3
# zpool add tank \
> raidz /dev/md4 /dev/md5 /dev/md6
invalid vdev specification
use '-f' to override the following errors:
mismatched replication level:
pool uses 2 device parity and new vdev uses 1
```



Storage pools

Increasing storage pool capacity

More devices can be added to a storage pool to increase capacity without downtime.

Data will be striped across the disks, increasing performance, but there will be **no redundancy**.

If *any* disk fails, **all data is lost!**

```
# zpool create tank /dev/md0
# zpool add tank /dev/md1
# zpool list
NAME      SIZE  ALLOC   FREE  CAP  DEDUP  HEALTH
tank     1.98T  233K   1.98T   0%   1.00x  ONLINE
# zpool status
  pool: tank
  state: ONLINE
  scan: none requested
config:

          NAME                STATE          READ  WRITE  CKSUM
          tank                 ONLINE         0      0      0
           md0                 ONLINE         0      0      0
           md1                 ONLINE         0      0      0

errors: No known data errors
```



Storage pools

Creating a mirror from a single-disk pool (1/4)

A storage pool consisting of only one device can be converted to a mirror.

In order for the new device to mirror the data of the already existing device, the pool needs to be “resilvered”.

This means that the pool synchronises both devices to contain the same data at the end of the resilver operation.

During resilvering, access to the pool will be slower, but there will be no downtime.



Storage pools

Creating a mirror from a single-disk pool (2/4)

```
# zpool create tank /dev/md0
# zpool status
  pool: tank
  state: ONLINE
  scan: none requested
config:

      NAME                STATE          READ  WRITE CKSUM
      tank                ONLINE         0     0     0
      md0                 ONLINE         0     0     0

errors: No known data errors

# zpool list
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank    1016G   93K   1016G        -         -     0%    0%   1.00x  ONLINE  -
```



Storage pools

Creating a mirror from a single-disk pool (3/4)

```
# zpool attach tank /dev/md0 /dev/md1
# zpool status tank
pool: tank
state: ONLINE
status: One or more devices is currently being resilvered. The pool
       will continue to function, possibly in a degraded state.
action: Wait for the resilver to complete.
       scan: resilver in progress since Fri Oct 12 13:55:56 2018
             5.03M scanned out of 44.1M at 396K/s, 0h1m to go
             5.03M resilvered, 11.39% done
config:

    NAME                STATE          READ  WRITE CKSUM
    tank                ONLINE         0     0     0
      mirror-0         ONLINE         0     0     0
        md0            ONLINE         0     0     0
        md1            ONLINE         0     0     0 (resilvering)

errors: No known data errors
```



Storage pools

Creating a mirror from a single-disk pool (4/4)

```
# zpool status
pool: tank
state: ONLINE
scan: resilvered 44.2M in 0h1m with 0 errors on Fri Oct 12 13:56:29 2018
config:

    NAME                STATE          READ  WRITE CKSUM
    tank                 ONLINE         0     0     0
      mirror-0          ONLINE         0     0     0
        md0             ONLINE         0     0     0
        md1             ONLINE         0     0     0

errors: No known data errors

# zpool list
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank    1016G  99.5K  1016G      -          -         0%    0%   1.00x  ONLINE  -
```



Datasets

Datasets

Creating datasets

- ZFS uses the term *dataset* to refer to filesystems
- Datasets are mounted automatically by default
 - Can be disabled for individual datasets (or entire hierarchies)
 - Mountpoint defaults to the name of the pool
- Can be used like directories with many useful properties

```
# zfs create tank/users
# zfs list
NAME                USED    AVAIL    REFER    MOUNTPOINT
tank                 150K    984G    23K      /tank
tank/users           23K     984G    23K      /tank/users

# zfs create tank/users/a
# zfs list
NAME                USED    AVAIL    REFER    MOUNTPOINT
tank                 180K    984G    23K      /tank
tank/users           46K     984G    23K      /tank/users
tank/users/a         23K     984G    23K      /tank/users/a
```

Datasets

Properties (1/2)

- Configuration and statistics are kept in dozens of properties
 - Use `zfs get all` for a list
 - All documented in the `zfs(8)` Unix manual page
- Datasets inherit properties from their parents
- Inherited properties can be overridden

```
# zfs set atime=off tank
# zfs get atime
NAME                PROPERTY  VALUE  SOURCE
tank                atime    off    local
tank/users          atime    off    inherited from tank
tank/users/a        atime    off    inherited from tank

# zfs set atime=on tank/users/a
# zfs get atime
NAME                PROPERTY  VALUE  SOURCE
tank                atime    off    local
tank/users          atime    off    inherited from tank
tank/users/a        atime    on     local
```



Datasets

Properties (2/2)

- Read-only properties have their SOURCE set to -, e.g.:
 - creation dataset creation time
 - used currently used space
- Changed properties take effect immediately; there is no need to remount
- Overrides can be restored with the `zfs inherit` command.

```
# zfs get creation,used,atime,readonly tank
NAME PROPERTY VALUE SOURCE
tank creation Fri Oct 12 15:15 2018 -
tank used 180K -
tank atime off local
tank readonly off default

# mount | grep tank
tank on /tank (zfs, local, noatime, nfsv4ac1s)

# zfs inherit atime tank
# mount | grep tank
tank on /tank (zfs, local, nfsv4ac1s)
```



Datasets

Mounting (1/2)

- By default, ZFS mounts datasets at the name of the pool that contain them
- The `mountpoint` property changes this behaviour
- Note: mountpoints must have a leading `/` (as usual in Unix) but the ZFS path in the pool must not have a leading `/`.

```
# zfs get mountpoint
NAME          PROPERTY      VALUE          SOURCE
tank          mountpoint    /tank          default
tank/users    mountpoint    /tank/users    default

# mount | grep tank
tank on /tank (zfs, local, nfsv4ac1s)
tank/users on /tank/users (zfs, local, nfsv4ac1s)

# zfs set mountpoint=/usr/home tank/users
# mount | grep tank
tank on /tank (zfs, local, nfsv4ac1s)
tank/users on /usr/home (zfs, local, nfsv4ac1s)
```



Datasets

Mounting (2/2)

- The `canmount` property determines whether datasets are mounted automatically
 - Datasets are mounted by default
 - Set `canmount=noauto` to not mount the dataset by default
 - Set `canmount=off` to make the dataset unmountable

```
# mount | grep tank
tank on /tank (zfs, local, nfsv4ac1s)
tank/users on /tank/users (zfs, local, nfsv4ac1s)

# zfs set canmount=off tank/users
# mount | grep tank
tank on /tank (zfs, local, nfsv4ac1s)
```



Datasets

Commonly used properties: readonly

- Datasets are mounted for reading and writing by default
- The `readonly` property changes this behaviour
- Remember: properties persist across reboots; there is no need to edit `/etc/fstab`

```
# zfs create -p tank/projects/current
# zfs create tank/projects/finished
# zfs set mountpoint=/projects tank/projects

# cp -a /home/alice/projects /projects/current

# zfs get readonly tank/projects/finished
NAME                PROPERTY  VALUE    SOURCE
tank/projects/finished  readonly  off      default

# cp /projects/current/homework.tex \
> /projects/finished

# zfs set readonly=on tank/projects/finished
# cp -a /projects/current/thesis.tex \
> /projects/finished
cp: /projects/finished: Read-only file system
```



Datasets

Commonly used properties: exec (1/3)

- The `exec` property determines whether or not files can be executed on a dataset
- Useful on e.g. `/var/log` where executing files would do more harm than good
- Can also be used to protect the system from untrustworthy users...

```
# zfs create tank/logfiles
# zfs set mountpoint=/var/log tank/logfiles
# zfs set exec=off tank/logfiles

# zfs get exec
NAME                PROPERTY  VALUE    SOURCE
tank                 exec      on       default
tank/logfiles       exec      off      local

# mount | grep logfiles
tank/logfiles on /var/log (zfs, local, noexec)
```



Dataset

Commonly used properties: exec (2/3)

```
# zfs create tank/users
# zfs set mountpoint=/home tank/users
# zfs set exec=off tank/users
# zfs create tank/users/alice
# zfs get exec
NAME                PROPERTY  VALUE    SOURCE
tank                 exec      on       default
tank/users           exec      off      local
tank/users/alice     exec      off      inherited

# ls -al /home/alice/
total 2
drwxr-xr-x  2 alice  alice   3 Oct 12 16:54 .
drwxr-xr-x  3 alice  alice   3 Oct 12 16:52 ..
-rwxr-xr-x  1 alice  alice  27 Oct 12 16:54 evil.sh
```



Dataset

Commonly used properties: exec (3/3)

```
% cat /home/alice/evil.sh
#!/bin/sh
rm -fr /projects

% cd /home/alice
% ./evil.sh
sh: ./evil.sh: Permission denied

% su
# ./evil.sh
./evil.sh: Permission denied.
```



Datasets

User-defined properties

- User-defined properties can store locally relevant metadata with the dataset, e.g.:
 - Last backup time
 - Cost centre paying for the disks
 - Anything you want them to store!
- A namespace (e.g. acme) distinguishes user-defined properties from built-in ones

```
# zfs set acme:lastbackup=20181012030000 tank
# zfs get acme:lastbackup tank
NAME      PROPERTY                VALUE                SOURCE
tank      acme:lastbackup         20181012030000      local

# zfs set acme:disksource=vendorname
# zfs set acme:diskbought=2018-10-01
# zfs set acme:diskprice=100EUR
```



Datasets

Quotas (1/3)

- By default, datasets can use all the space provided by the underlying storage pool
- Quotas set an upper limit on how much data can be stored in a dataset

```
# zfs get quota
NAME                PROPERTY  VALUE   SOURCE
tank                quota     none    default
tank/users          quota     none    default
tank/users/alice    quota     none    default
tank/users/bob      quota     none    default

# zfs set quota=10GB tank/users
# zfs set quota=50GB tank/users/alice

# zfs get quota
NAME                PROPERTY  VALUE   SOURCE
tank                quota     none    local
tank/users          quota     10G     local
tank/users/alice    quota     50G     local
tank/users/bob      quota     none    default
```



Datasets

Quotas (2/3)

```
# zfs get quota
NAME                PROPERTY  VALUE   SOURCE
tank                quota     none    default
tank/users/alice    quota     none    default
tank/users/bob      quota     none    default

# df -h
Filesystem          Size      Used    Avail Capacity  Mounted on
tank                984G      23K     984G     0%         /tank
tank/users/alice    984G      23K     984G     0%         /tank/users/alice
tank/users/bob      984G      23K     984G     0%         /tank/users/bob

# zfs set quota=500M tank/users/alice
# df -h
Filesystem          Size      Used    Avail Capacity  Mounted on
tank                984G      23K     984G     0%         /tank
tank/users/alice    500M      23K     500M     0%         /tank/users/alice
tank/users/bob      984G      23K     984G     0%         /tank/users/bob
```



Datasets

Quotas (3/3)

```
# dd if=/dev/urandom of=/tank/users/alice/bigfile.dat
dd: /tank/users/alice/bigfile.dat: Disc quota exceeded

# ls -alh /tank/users/alice/bigfile.dat
-rw-r--r--  1 root  wheel   500M Oct 12 18:21 /tank/users/alice/bigfile.dat

# df -h

```

Filesystem	Size	Used	Avail	Capacity	Mounted on
tank	984G	23K	984G	0%	/tank
tank/users/alice	500M	500M	0B	100%	/tank/users/alice
tank/users/bob	984G	23K	984G	0%	/tank/users/bob



Datasets

Reservations (1/3)

- Reservations ensure that there is always a certain amount of free space available to a dataset
- This is in contrast with quotas, which ensure that no more than a certain amount of data can be written

```
# zfs get reservation
NAME                PROPERTY            VALUE               SOURCE
tank                reservation         none               default
tank/users          reservation         none               default
tank/users/alice    reservation         none               default
tank/users/bob      reservation         none               default

# zfs set reservation=500M tank/users/bob
```



Datasets

Reservations (2/3)

```
# zfs get reservation
NAME                PROPERTY           VALUE             SOURCE
tank                reservation        none             default
tank/users/alice   reservation        none             default
tank/users/bob     reservation        none             default

# df -h
Filesystem          Size      Used    Avail Capacity  Mounted on
tank                1.2G      23K     1.2G      0%        /tank
tank/users/alice   1.2G      23K     1.2G      0%        /tank/users/alice
tank/users/bob     1.2G      23K     1.2G      0%        /tank/users/bob

# zfs set reservation=500M tank/users/bob
# df -h
Filesystem          Size      Used    Avail Capacity  Mounted on
tank                780M      23K     780M      0%        /tank
tank/users/alice   780M      23K     780M      0%        /tank/users/alice
tank/users/bob     1.2G      23K     1.2G      0%        /tank/users/bob
```



Datasets

Reservations (3/3)

```
# dd if=/dev/urandom of=/tank/users/alice/bigfile.dat bs=850M
dd: /tank/users/alice/bigfile.dat: No space left on device

# ls -alh /tank/users/alice/bigfile.dat
-rw-r--r--  1 root  wheel   780M Oct 12 18:21 /tank/users/alice/bigfile.dat

# df -h /tank /tank/users /tank/users/alice /tank/users/bob

```

Filesystem	Size	Used	Avail	Capacity	Mounted on
tank	23K	23K	0B	100%	/tank
tank/users/alice	780M	780M	0B	100%	/tank/users/alice
tank/users/bob	500M	23K	500M	0%	/tank/users/bob



Datasets

Compression (1/2)

- ZFS can transparently compress data written to datasets and decompress it automatically when reading
- Several algorithms are available
 - Default: lz4
 - gzip, gzip-N, zle, lzjb,...
- Only newly written data is compressed. ZFS does not recompress existing data!

```
# zfs create \  
> -o mountpoint=/usr/ports \  
> -p tank/ports/uncompressed  
# portsnap fetch extract  
# zfs list tank/ports  
NAME                USED    AVAIL    REFER    MOUNTPOINT  
tank/ports          437M    984G    23K      /usr/ports  
  
# zfs create tank/ports/compressed  
# zfs set compression=on tank/ports/compressed  
# cp -a /usr/ports/ /tank/ports/compressed/  
  
# zfs list -r tank/ports  
NAME                USED    AVAIL    REFER  
tank/ports          636M    983G    23K  
tank/ports/compressed 196M    983G    196M  
tank/ports/uncompressed 440M    983G    440M
```



Datasets

Compression (2/2)

- The `compressratio` property can be checked to evaluate how effective compression is
- It's very easy to experiment!
- Bonus: compression also improves read performance on systems where the CPU is faster than the disks (i.e.: most systems)

```
# zfs get compression,compressratio
NAME                                PROPERTY      VALUE
tank/ports/compressed              compression    on
tank/ports/compressed              compressratio  2.47x

# zfs create tank/ports/gzipped
# zfs set compression=gzip-9 tank/ports/gzipped
# cp -a /tank/ports/compressed/
> /tank/ports/gzipped/

# zfs get -r compressratio,used tank/ports
NAME                                PROPERTY      VALUE
tank/ports/compressed              compressratio  2.47x
tank/ports/compressed              used          197M
tank/ports/gzipped                 compressratio  3.10x
tank/ports/gzipped                 used          163M
tank/ports/uncompressed            compressratio  1.00x
tank/ports/uncompressed            used          440M
```




Snapshots

Snapshots

Overview

- A snapshot is a read-only copy of a dataset or volume
- ZFS snapshots are extremely fast
 - Side-effect of the underlying copy-on-write transaction model
 - Faster than deleting data!
- Snapshots occupy no space until the original data starts to diverge



Snapshots

Creating and listing snapshots (1/2)

- A snapshot only needs an identifier
 - Can be anything you like!
 - A timestamp is traditional
 - But you can use more memorable identifiers too...

```
# zfs snapshot tank/users/alice@myfirstbackup
# zfs list -t snapshot
NAME                                USED    AVAIL    REFER  MOUNTPOINT
tank/users/alice@myfirstbackup      0       -       23K    -

# zfs list -rt all tank/users/alice
NAME                                USED    AVAIL    REFER  MOUNTPOINT
tank/users/alice                    23K    984G    23K    /tank/users/alice
tank/users/alice@myfirstbackup      0       -       23K    -
```



Snapshots

Creating and listing snapshots (2/2)

- Snapshots save only the changes between the time they were created and the previous (if any) snapshot
- If data doesn't change, snapshots occupy zero space

```
# echo hello world > /tank/users/alice/important_data.txt
# zfs snapshot tank/users/alice@mysecondbackup
# zfs list -rt all tank/users/alice
```

NAME	USED	AVAIL	REFER	MOUNTPOINT
tank/users/alice	36.5K	984G	23.5K	/tank/users/alice
tank/users/alice@myfirstbackup	13K	-	23K	-
tank/users/alice@mysecondbackup	0	-	23.5K	-



Snapshots

Differences between snapshots

- ZFS can display the differences between snapshots

Character	Type of change
+	File was added
-	File was deleted
M	File was modified
R	File was renamed

```
# touch /tank/users/alice/empty
# rm /tank/users/alice/important_data.txt
# zfs diff tank/users/alice@mysecondbackup
M      /tank/users/alice/
-      /tank/users/alice/important_data.txt
+      /tank/users/alice/empty
```



Snapshots

Rolling back snapshots (1/2)

- Snapshots can be rolled back to undo changes
- All files changed since the snapshot was created will be discarded

```
# echo hello_world > important_file.txt
# echo goodbye_cruel_world > also_important.txt
# zfs snapshot tank/users/alice@myfirstbackup
# rm *

# ls

# zfs rollback tank/users/alice@myfirstbackup

# ls
also_important.txt    important_file.txt
```



Snapshots

Rolling back snapshots (2/2)

- By default, the latest snapshot is rolled back. To roll back an older snapshot, use `-r`
- Note that intermediate snapshots will be destroyed
- ZFS will warn about this

```
# touch not_very_important.txt
# touch also_not_important.txt
# ls
also_important.txt    important_file.txt
also_not_important.txt  not_very_important.txt
# zfs snapshot tank/users/alice@mysecondbackup
# zfs diff tank/users/alice@myfirstbackup \
> tank/users/alice@mysecondbackup
M      /tank/users/alice/
+      /tank/users/alice/not_very_important.txt
+      /tank/users/alice/also_not_important.txt
# zfs rollback tank/users/alice@myfirstbackup
# zfs rollback -r tank/users/alice@myfirstbackup
# ls
also_important.txt    important_file.txt
```



Snapshots

Restoring individual files

- Sometimes, we only want to restore a single file, rather than rolling back an entire snapshot
- ZFS keeps snapshots in a very hidden `.zfs/snapshots` directory
 - It's like magic :-)
 - Set `snappdir=visible` to unhide it
- Remember: snapshots are read-only. Copying data to the magic directory won't work!

```
# ls
also_important.txt  important_file.txt

# rm *
# ls

# ls .zfs/snapshot/myfirstbackup
also_important.txt  important_file.txt

# cp .zfs/snapshot/myfirstbackup/* .

# ls
also_important.txt  important_file.txt
```



Snapshots

Cloning snapshots

- Clones represent a *writable* copy of a read-only snapshot
- Like snapshots, they occupy no space until they start to diverge

```
# zfs list -rt all tank/users/alice
NAME                                USED    AVAIL    REFER  MOUNTPOINT
tank/users/alice                    189M    984G    105M    /tank/users/alice
tank/users/alice@mysecondbackup      0        -      105M    -

# zfs clone tank/users/alice@mysecondbackup tank/users/eve

# zfs list tank/users/eve
NAME                                USED    AVAIL    REFER  MOUNTPOINT
tank/users/eve                      0      984G    105M    /tank/users/eve
```



Snapshots

Promoting clones

- Snapshots cannot be deleted while clones exist
- To remove this dependency, clones can be *promoted* to "ordinary" datasets
- Note that by promoting the clone, it immediately starts occupying space

```
# zfs destroy tank/users/alice@mysecondbackup
cannot destroy 'tank/users/alice@mysecondbackup':
snapshot has dependent clones
use '-R' to destroy the following datasets:
tank/users/eve

# zfs list tank/users/eve
NAME                USED   AVAIL   REFER  MOUNTPOINT
tank/users/eve      0     984G   105M   /tank/users/eve

# zfs promote tank/users/eve

# zfs list tank/users/eve
NAME                USED   AVAIL   REFER  MOUNTPOINT
tank/users/eve     189M   984G   105M   /tank/users/eve
```




Self-healing data


Demo

Traditional mirroring


1. Application issues a read. Mirror reads the first disk, which has a corrupt block. It can't tell.



2. Volume manager passes bad block up to filesystem. If it's a metadata block, the filesystem panics. If not...




3. Filesystem returns bad data to the application.




Self-healing data in ZFS


1. Application issues a read. ZFS mirror tries the first disk. Checksum reveals that the block is corrupt on disk.



2. ZFS tries the second disk. Checksum indicates that the block is good.



3. ZFS returns good data to the application and repairs the damaged block on the first disk.



Self-healing data demo

Store some important data (1/2)

- We have created a redundant pool with two mirrored disks and stored some important data on it
- We will be very sad if the data gets lost! :-)

```
# zfs list tank
NAME      USED    AVAIL    REFER    MOUNTPOINT
tank      74K     984G     23K      /tank

# cp -a /some/important/data/ /tank/

# zfs list tank
NAME      USED    AVAIL    REFER    MOUNTPOINT
tank     3.23G   981G     3.23G    /tank
```



Self-healing data demo

Store some important data (2/2)

```
# zpool status tank
pool: tank
state: ONLINE
scan: none requested
config:
```

NAME	STATE	READ	WRITE	CKSUM
tank	ONLINE	0	0	0
mirror-0	ONLINE	0	0	0
md0	ONLINE	0	0	0
md1	ONLINE	0	0	0

```
errors: No known data errors
```

```
# zpool list tank
```

NAME	SIZE	ALLOC	FREE	CKPOINT	EXPANDSZ	FRAG	CAP	DEDUP	HEALTH	ALTROOT
tank	1016G	3.51G	1012G	-	-	0%	0%	1.00x	ONLINE	-



Self-healing data demo

Destroy one of the disks (1/2)

Caution!

This example can destroy data when used on the wrong device or a non-ZFS filesystem!

Always check your backups!

```
# zpool export tank
# dd if=/dev/random of=/dev/md1 bs=1m count=200
# zpool import tank
```



Self-healing data demo

Destroy one of the disks (2/2)

```
# zpool status tank
pool: tank
state: ONLINE
status: One or more devices has experienced an unrecoverable error. An
attempt was made to correct the error. Applications are unaffected.
action: Determine if the device needs to be replaced, and clear the errors
using 'zpool clear' or replace the device with 'zpool replace'.
see: http://illumos.org/msg/ZFS-8000-9P
scan: none requested
config:

    NAME                STATE          READ  WRITE  CKSUM
    tank                 ONLINE         0     0     0
      mirror-0          ONLINE         0     0     0
        md0              ONLINE         0     0     5
        md1              ONLINE         0     0     0

errors: No known data errors
```



Self-healing data demo

Make sure everything is okay (1/3)

```
# zpool scrub tank
# zpool status tank
  pool: tank
  state: ONLINE
status: One or more devices has experienced an unrecoverable error. An
        attempt was made to correct the error. Applications are unaffected.
action: Determine if the device needs to be replaced, and clear the errors
        using 'zpool clear' or replace the device with 'zpool replace'.
  see: http://illumos.org/msg/ZFS-8000-9P
  scan: scrub in progress since Fri Oct 12 22:57:36 2018
        191M scanned out of 3.51G at 23.9M/s, 0h2m to go
        186M repaired, 5.32% done
config:

      NAME          STATE          READ  WRITE  CKSUM
      tank           ONLINE         0     0     0
        mirror-0    ONLINE         0     0     0
          md0       ONLINE         0     0  1.49K (repairing)
          md1       ONLINE         0     0     0

errors: No known data errors
```



Self-healing data demo

Make sure everything is okay (2/3)

```
# zpool status tank
pool: tank
state: ONLINE
status: One or more devices has experienced an unrecoverable error. An
attempt was made to correct the error. Applications are unaffected.
action: Determine if the device needs to be replaced, and clear the errors
using 'zpool clear' or replace the device with 'zpool replace'.
see: http://illumos.org/msg/ZFS-8000-9P
scan: scrub repaired 196M in 0h0m with 0 errors on Fri Oct 12 22:58:14 2018
config:

    NAME                STATE          READ  WRITE CKSUM
    tank                 ONLINE         0     0     0
      mirror-0          ONLINE         0     0     0
        md0              ONLINE         0     0   1.54K
        md1              ONLINE         0     0     0

errors: No known data errors
```



Self-healing data demo

Make sure everything is okay (3/3)

```
# zpool clear tank

# zpool status tank
pool: tank
state: ONLINE
scan: scrub repaired 196M in 0h0m with 0 errors on Fri Oct 12 22:58:14 2018
config:

    NAME                STATE          READ  WRITE CKSUM
    tank                 ONLINE         0     0     0
      mirror-0          ONLINE         0     0     0
        md0              ONLINE         0     0     0
        md1              ONLINE         0     0     0

errors: No known data errors
```



Self-healing data demo

But what if it goes very wrong? (1/2)

```
# zpool status
pool: tank
state: ONLINE
status: One or more devices has experienced an error resulting in data
corruption. Applications may be affected.
action: Restore the file in question if possible. Otherwise restore the
entire pool from backup.
see: http://illumos.org/msg/ZFS-8000-8A
scan: scrub in progress since Fri Oct 12 22:46:01 2018
498M scanned out of 3.51G at 99.6M/s, 0h0m to go
19K repaired, 13.87% done
config:

NAME          STATE          READ WRITE CKSUM
tank          ONLINE         0     0 1.48K
  mirror-0    ONLINE         0     0 2.97K
    md0       ONLINE         0     0 2.97K
    md1       ONLINE         0     0 2.97K

errors: 1515 data errors, use '-v' for a list
```



Self-healing data demo

But what if it goes very wrong? (2/2)

```
# zpool status -v
pool: tank
state: ONLINE
status: One or more devices has experienced an error resulting in data
corruption. Applications may be affected.
action: Restore the file in question if possible. Otherwise restore the
entire pool from backup.
see: http://illumos.org/msg/ZFS-8000-8A
scan: scrub repaired 19K in 0h0m with 1568 errors on Fri Oct 12 22:46:25 2018
config:

    NAME                STATE          READ  WRITE CKSUM
    tank                 ONLINE         0     0  1.53K
      mirror-0          ONLINE         0     0  3.07K
        md0             ONLINE         0     0  3.07K
        md1             ONLINE         0     0  3.07K

errors: Permanent errors have been detected in the following files:

/tank/FreeBSD-11.2-RELEASE-amd64.vhd.xz
/tank/base-amd64.txz
/tank/FreeBSD-11.2-RELEASE-amd64-disc1.iso.xz
/tank/intro_slides.pdf
```



Deduplication



Duplication

A	B	C	D
D	C	A	B
A	C	B	D
A	B	C	D
D	C	A	B
A	C	B	D

Intentional duplication

- Backups, redundancy

Unintentional duplication


- Application caches
- Temporary files

- Node.js (Grrr!)



Deduplication

- Implemented at the block layer
- ZFS detects when it needs to store an exact copy of a block
- Only a reference is written rather than the entire block
- Can save a lot of disk space



Deduplication

Memory cost

- ZFS must keep a table of the checksums of every block it stores
- Depending on the blocksize, this table can grow very quickly
- Deduplication table must be fast to access or writes slow down
- Ideally, the deduplication table should fit in RAM
- Keeping a L2ARC on fast SSDs can reduce the cost somewhat

Rule of thumb:

5GB of RAM for each TB of data stored



Deduplication

Is it worth it? (1/2)

- The ZFS debugger (zdb) can be used to evaluate if turning on deduplication will save space in a pool
- In most workloads, compression will provide much more significant savings than deduplication
- Consider whether the cost of RAM is worth it
- Also keep in mind that it is a lot easier and cheaper to add disks to a system than it is to add memory



Deduplication demo

Is it worth it? (2/2)

```
# zdb -S tank
```

```
Simulated DDT histogram:
```

bucket	allocated				referenced				
	refcnt	blocks	LSIZE	PSIZE	DSIZE	blocks	LSIZE	PSIZE	DSIZE
1		25.1K	3.13G	3.13G	3.13G	25.1K	3.13G	3.13G	3.13G
2		1.48K	189M	189M	189M	2.96K	378M	378M	378M
Total		26.5K	3.32G	3.32G	3.32G	28.0K	3.50G	3.50G	3.50G

```
dedup = 1.06, compress = 1.00, copies = 1.00, dedup * compress / copies = 1.06
```



Deduplication demo

Control experiment (1/2)

```
# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  79.5K  7.50G        -         -       0%    0%  1.00x  ONLINE   -

# zfs get compression,dedup tank
NAME      PROPERTY  VALUE          SOURCE
tank     compression  off            default
tank     dedup        off            default

# for p in `seq 0 4`; do
> portsnap -d /tmp/portsnap -p /tank/ports/$p extract &
> done

# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  2.14G  5.36G        -         -       3%   28%  1.00x  ONLINE   -
```



Deduplication demo

Control experiment (2/2)

```
# zdb -S tank
```

```
Simulated DDT histogram:
```

bucket	allocated				referenced			
refcnt	blocks	LSIZE	PSIZE	DSIZE	blocks	LSIZE	PSIZE	DSIZE
4	131K	374M	374M	374M	656K	1.82G	1.82G	1.82G
8	2.28K	4.60M	4.60M	4.60M	23.9K	48.0M	48.0M	48.0M
16	144	526K	526K	526K	3.12K	10.5M	10.5M	10.5M
32	22	23.5K	23.5K	23.5K	920	978K	978K	978K
64	2	1.50K	1.50K	1.50K	135	100K	100K	100K
256	1	512	512	512	265	132K	132K	132K
Total	134K	379M	379M	379M	685K	1.88G	1.88G	1.88G

```
dedup = 5.09, compress = 1.00, copies = 1.00, dedup * compress / copies = 5.09
```



Deduplication demo

Enabling deduplication

```
# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  79.5K  7.50G        -         -       0%    0%  1.00x  ONLINE   -

# zfs get compression,dedup tank
NAME      PROPERTY  VALUE          SOURCE
tank     compression  off            default
tank     dedup        on             default

# for p in `seq 0 4`; do
> portsnap -d /tmp/portsnap -p /tank/ports/$p extract &
> done

# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  670M  6.85G        -         -       6%    8%  5.08x  ONLINE   -
```



Deduplication demo

Compare with compression

```
# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  79.5K  7.50G        -         -       0%    0%  1.00x  ONLINE   -

# zfs get compression,dedup tank
NAME      PROPERTY      VALUE          SOURCE
tank     compression  gzip-9        local
tank     dedup         off           default

# for p in `seq 0 4`; do
> portsnap -d /tmp/portsnap -p /tank/ports/$p extract &
> done

# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  752M  6.77G        -         -       3%    9%  1.00x  ONLINE   -
```



Deduplication

Summary

- ZFS deduplication can save a lot of space under some workloads but at the expense of a lot of memory
- Often, compression will give similar or better results
- Always check with `zdb -S` whether deduplication would be worth it

Control experiment	2.14G
Deduplication	670M
Compression	752M



Serialisation

Encrypted backups over the network



Exercises



Lab preliminaries

- Take a snapshot of your virtual machine before you start the exercises.
- Download an appropriate FreeBSD VM image from my laptop on the SANOG33 wireless network:

<http://172.16.0.182/>



Exercises

Storage pools



Storage pools (1/3)

1. Create eight fake disks on your virtual machine
 - Use `truncate(1)` and `mdconfig(8)`
 - Bonus points: write a shell loop!
2. Create a pool with one disk
3. Add a second disk to the pool
4. Add a mirror of two more disks to the pool

```
# truncate -s 1TB diskX
# mdconfig -a -t vnode -f diskX

# zpool create
# zpool add
# zpool attach
# zpool destroy
```

NOTE: If you want to use fake disks larger than the disk in your virtual machine you must set this `sysctl(8)` first:

```
# sysctl vfs.zfs.vdev.trim_on_init=0
```

Your VM will run out of space if you forget!



Storage pools (2/3)

1. Destroy the pool from the previous exercise and create a new pool with one disk
2. Convert the pool to a mirror by attaching a second disk
3. Add a third disk to the pool

```
# truncate -s 1TB diskX  
  
# mdconfig -a -t vnode -f diskX  
  
# zpool create  
# zpool add  
# zpool attach  
# zpool destroy
```

NOTE: If you want to use fake disks larger than the disk in your virtual machine you must set this sysctl(8) first:

```
# sysctl vfs.zfs.vdev.trim_on_init=0
```

Your VM will run out of space if you forget!



Storage pools (3/3)

1. Destroy the pool from the previous exercise and create a new pool with two mirrored disks
2. Add a raidz set of four disks to the pool
3. Add the last two disks to the pool as an extra mirror

```
# truncate -s 1TB diskX  
  
# mdconfig -a -t vnode -f diskX  
  
# zpool create  
# zpool add  
# zpool attach  
# zpool destroy
```

NOTE: If you want to use fake disks larger than the disk in your virtual machine you must set this sysctl(8) first:

```
# sysctl vfs.zfs.vdev.trim_on_init=0
```

Your VM will run out of space if you forget!



Self-healing data

1. Create a raidz pool with four disks and copy the FreeBSD ports tree to it.
2. Export the pool and destroy one disk at random.
3. Import the pool.
4. Scrub the pool and export it again.
5. Destroy a second disk and try to import the pool.
6. Explain what happens.
7. How would you protect against this eventuality?



Exercises

Datasets

Quotas

1. Create the datasets as shown in the example below
2. Set a quota of 500M on `tank/users` and 1G on `tank/users/bob`
3. Copy a 1G file to `/tank/users/bob`
4. Explain what happens

```
# zfs list -r tank
NAME                USED    AVAIL    REFER    MOUNTPOINT
tank                176K   1.75G   23K     /tank
tank/users          92K    1.75G   23K     /tank/users
tank/users/alice    23K    1.75G   23K     /tank/users/alice
tank/users/bob      23K    1.75G   23K     /tank/users/bob
tank/users/eve      23K    1.75G   23K     /tank/users/eve
```



Reservations

1. Repeat the previous exercise, but set a reservation of 500M on tank/users instead of a quota.
2. Now what happens?



Exercises

Snapshots

Credits

- ZFS: The last word in filesystems

Jeff Bonwick and Bill Moore

URL:

https://wiki.illumos.org/download/attachments/1146951/zfs_last.pdf

- Introduction to the ZFS filesystem

Benedict Reuschling

URL: [offline]

